You have opted for immediate implantology and we thank you for your appreciated trust.

In order for your healing process to proceed optimally over the next few months, we ask you to consider the following behaviour and to observe it.



## Postoperative instructions after treatment with immediately loadable implants



We recommend that smokers stop smoking completely. The harmful and git substances it contains hinder the healing process, which is often even prevented. In the area of tooth removal, dead jawbone must even be ex-

pected, which would result in the loss of your implants. Further, large damages cannot be excluded.



Eat to your heart's desire, but in the first few months please avoid anything that you cannot slice in one bite. Avoid e.g. nuts, hard fruit and vegetables, gnawing bones, etc. even if you do not feel any pain yourself. Even if immediate implantology - in the usual sense -

has no healing times, healing will still take place!

## Consequential damages caused by smoking are excluded from all warranty services!



In contrast to the conventional 2-phase method, pain in immediate implantology is very low. Nevertheless, pain can occur after the procedure. However, this pain decreases continuously. A slight nosebleed is also

possible. We recommend cooling compresses or ice bags to reduce pain directly after the operation and to prevent swelling. Please refrain from physical exertion, avoid sports activities for up to 10 days after the operation and do not visit a sauna.



Follow-up checks take place after 2, 3 to 6 months and are individual. The first check-up takes place the very next day after you have received your new teeth. If you have any complaints outside the agreed appointments or notice anything unusual, please inform us

immediately. Have yourself picked up from the practice and please do not drive a vehicle yourself!

Follow-up inspections must be strictly adhered to. If these are not observed, the warranty becomes void!



Hygiene, i.e. hygienic measures, are prohibited on the day of surgery. This includes mouth rinsing. From the second day, rinsing is permitted (e.g. with betadine, chlorhexidine-containing mouth-

washes or medicinal teas). However, please refrain from strong rinsing or oral shower(s)! After the integration of your fixed denture, usually on the third day after the operation, we will give you oral hygiene instructions and care tips for your new teeth on site. Please adhere to these instructions so that your operation is a complete success.

With	my	signatu	re I	confirm	that I	have	understood
this i	nfor	mation	shee	et and ha	ve rec	eived	a copy.

Surname, First name:	
Date:	
Signature:	

Contact us: Tel.: + 36 70 606 11 15